TEM		DESCRIPTION	KSHS
		GENERAL PRELIMINARIES	
A.	PRICING OF I	ITEMS OF PRELIMINARIES AND PRE AMBLES	
		inserted against items of Preliminaries i n the Contractor's priced ties and Specification.	
	items in the Bil	shall be deemed to have included in his prices or rates for the various ls of Quantities or Specification for all costs involved in complying with nents for the proper execution of the who le of the works in the Contract.	
В.	ABBREVIATI	ONS	
	Throughout th interpreted as f	ese Bills, units of measurement and terms are abbreviated and shall be follows:-	
	C.M.	Shall mean cubic metre	
	S.M.	Shall mean square metre	
	L.M.	Shall mean linear metre	
	MM	Shall mean Millimetre	
	Kg.	Shall mean Kilogramme	
	No.	Shall mean Number	
	Prs.	Shall mean Pairs	
	B.S.	Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.	
	Ditto	Shall mean the whole of the preceding description except as qualified in the description in whicle it occurs.	
	m.s.	Shall mean measured separately.	
	a.b.d	Shall mean as before described.	

Carried to collection

ITEM	DESCRIPTION	KSHS
A.	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT	
	Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-	
	Attendance on nominated Sub-Contractors shall be give n as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of spec ial scaffolding where necessary; providing space for office accommodation and for stor age of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing an d replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub-Contractors' work and being responsible for the accuracy of the same.	
	Fix Only:-	
	"Fix Only" shall mean take delivery at nearest railway st ation (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.	
В.	EMPLOYER	
	The "Employer" is the TAITA TAVETA COUNTY ASSEMBLY	
	The term "Employer" and "Government" wherever used in the contract document shall be synonymous	
C.	PROJECT MANAGER	
	The term "P.M." wherever used in these Bills of Quantiti es shall be deemed to imply the Project Manager as defined in Condition 1 of the Condit ions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.	
D.	ARCHITECT	
	The term "Architect" shall be deemed to mean "The P.M. " as defined above whose address unless otherwise notified is TAITA TAVETA COUNTY ASSEMBLY P.O. Box 1142 - 80304 WUNDANYI	
E.	QUANTITY SURVEYOR	
	The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above address unless otherwise notified is TAITA TAVETA COUNTY ASSEMBLY P.O. Box 1142 - 80304 WUNDANYI	
	Carried to collection	

ITEM	DESCRIPTION	KSHS
A.	ELECTRICAL ENGINEER	
В.	The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined above The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is TAITA TAVETA COUNTY ASSEMBLY P.O. Box 1142 - 80304 WUNDANYI MECHANICAL ENGINEER	
	The term "Mechanical Engineer" shall be deemed to mea n "The P.M." as defined above address unless otherwise notified is TAITA TAVETA COUNTY ASSEMBLY P.O. Box 1142 - 80304 WUNDANYI	
	STRUCTURAL ENGINEER	
C.	The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above address unless otherwise notified is TAITA TAVETA COUNTY ASSEMBLY P.O. Box 1142 - 80304 WUNDANYI	
	FORM OF CONTRACT	
D.	The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Building Works(2022 Edi tion) included herein The Conditions of Contract are also included herein	
	Conditions of Contract	
	These are numbered from AS ATTACHED of these ten der documents. Particulars of insertions to be made in the A ppendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities	
E.	BOND.	
	The Contractor shall find and submit on the Form of Tender and approved bank and who will be willing to be bound the Government in and amount equal to five (5) per cent of the Contract amount for the due perform ances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Assembly, the Contractor shall furnish within seven days another Surety to the approval of the Government.	

Carried to collection

ГЕМ	DESCRIPTION	KSHS
A. PLANT, TOO	OLS AND VEHICLES	
except in so fa and only requ timber used for	viding all scaffolding, plant, tools and veh icles required for the works or as may be stated otherwise herein and except for such items specifically tired for the use of nominated Sub-Contrac tors as described herein. No or scaffolding, formwork or temporary wo rks of any kind shall be used the permanent work.	
B. TRANSPOR	т.	
	nsport of workmen, materials, etc., to and f rom the site at such hours and s as may be permitted by the competent authorities.	
C. MATERIALS	AND WORKMANSHIP.	
quality and d to be obtained order materia they are onsit	and workmanship used in the execution of the work shall be of the best escription unless otherwise stated. The Cor tractor shall order all materials of from overseas immediately after the Con tract is signed and shall also also to be obtained from local sources as early as necessary to ensure that when required for use in the works. The Bills of Quantities shall not be surpose of ordering materials.	
D. SIGN FOR M	ATERIALS SUPPLIED.	
by the PROJE them in good damage and which will be including Cu	or will be required to sign a receipt for all a rticles and materials supplied CT MANAGER at the time of taking deliv er thereof, as having received order and condition, and will thereafter be responsible for any loss or for replacements of any such loss or damage with articles and/or materials supplied by the PROJECT MANAGER at the current market prices stoms Duty and V.A.T., all at the Contractor's own cost and expense, tion of the PROJECT MANAGER	
E. STORAGE C	OF MATERIALS	
proof lock-up the satisfaction	or shall provide at his own risk and cost where directed on the site weather sheds and make good damaged or disturbed surfaces upon completion to n of the PROJECT MANAGER Nominated Sub-Contractors are to be or the cost of any storage accommodation provided especially for their use.	

Carried to collection

TEM	DESCRIPTION	KSHS
A.	SAMPLES	
	The Contractor shall furnish at his own cost any sample s of materials or workmanship	
	including concrete test cubes required for the works that may be called for by the	
	PROJECT MANAGER for his approval until such samp les are approved by the PROJECT	
	MANAGER and the PROJECT MANAGER, may reject any materials or workmanship	
	not in his opinion to be up to approved samples. The PROJECT MANAGER shall	
	arrange for the testing of such materials as he may at his discretion deem desirable, but	
	the testing shall be made at the expense of the Contracto r and not at the expense of the	
	PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the	
	current scale of testing charges laid down by the Ministr y of Roads, Housing and Public	
	Works.	
	The procedure for submitting samples of materials for testing and the method of marking	
	for identification shall be as laid down by the PROJECT MANAGER The Contractor	
	shall allow in his tender for such samples and tests exce pt those in connection with	
	nominated sub-contractors' work.	
В.	GOVERNMENT ACTS REGARDING WORK PEOPL E ETC.	
	Allow for complying with all Government Acts, Orders and Regulations in connection	
	with the employment of Labour and other matters related to the execution of the works.	
	In particular the Contractor's attention is drawn to the p rovisions of the Factory Act	
	1950 and his tender must include for all costs arising or resulting from compliance with	
	any Act, Order or Regulation relating to Insurances, pensions and holidays for	
	workpeople or so the safety, health and welfare of the workpeople.	
	The Contractor must make himself fully acquainted with current Acts and Regulations,	
	including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the	
	Contractor, before tendering, shall obtain from the relev ant Authority the fullest	
	information regarding all such regulations and/or restrictions which may affect the	
	organisation of the works, supply and control of labour, etc., and allow accordingly in	
	his tender. No claim in respect of want of knowledge in this connection will be	
	entertained.	
В.	SECURITY OF WORKS ETC.	
	The Contractor shall be entirely responsible for the secur ity of all the works stores,	
	materials, plant, personnel, etc., both his own and sub-cc ntractors' and must provide all	
	necessary watching, lighting and other precautions as nε cessary to ensure security	
	against theft, loss or damage and the protection of the p ublic.	
	Carried to collection	
	Curren to conection	

ITEM	DESCRIPTION	KSHS	
A.	PUBLIC AND PRIVATEROADS.		
	Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or conse quent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER		
В.	EXISTING PROPERTY.		
	The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER		
C.	VISIT SITE AND EXAMINE DRAWINGS.		
	The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries here of. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.		
D.	ACCESS TO SITE AND TEMPORARY ROADS.		
	Means of access to the Site shall be agreed with the PRO JECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the material s, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfac tion of the PROJECT MANAGER		
Е.	AREA TO BE OCCUPIED BY THE CONTRACTOR		
	The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER		
Carried to collection			

ITEM	DESCRIPTION	KSHS
A.	OFFICE ETC. FOR THE PROJECT MANAGER	
	The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particul ar Preliminaries, complete with Furniture. He shall also provide a strong metal trunk co mplete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANA GER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sa nitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.	
	leveling stail, ranging rous and 50 metre metalic of interctape.	
B.	WATER AND ELECTRICITY SUPPLY FOR THE WOI S	
	The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Subcontractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.	
C.	SANITATION OF THE WORKS	
	The Sanitation of the works shall be arranged and maint ained by the Contractor to the satisfaction of the Government and/or Local Authorities , Labour Department and the PROJECT MANAGER	
D.	SUPERVISION AND WORKING HOURS	
	The works shall be executed under the direction and to t <sup>*</sup> e entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and wo rkshops of the Contractor and sub-Contractors or other places where work is being pre pared for the contract.	
E.	PROVISIONAL SUMS.	
	The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Con tract. Such sums are net and no addition shall be made to them for profit.	
	Carried to collection	

TEM	DESCRIPTION	KSHS
A.	PRIME COST (OR P.C.) SUMS.	
	The term "Prime Cost Sum" or "P.C. Sum" wherever use d in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execut e work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors.	
	Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.	
В.	PROGRESS CHART.	
	The Contractor shall provide within two weeks of Posse ssion of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	
C.	ADJUSTMENT OF P.C. SUMS.	
	In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MA NAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them.	
	Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.	
	Carried to collection	

ADJUSTMENT OF PROVISIONAL SUMS.	
In the final account all Provisional Sums shall be deduct ed and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or a rticles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.	
NOMINATED SUB-CONTRACTORS	
When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-cont racts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise descr ibed the Contractor is to provide for such Sub-Contractors any or all of the facilities descr ibed in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add f or Attendance".	
DIRECT CONTRACTS	
Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
ATTENDANCE UPON OTHER TRADESMEN, ETC.	
The Contractor shall allow for the attendance of trade up on trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and a lso for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.	
	properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or a rticles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.  NOMINATED SUB-CONTRACTORS  When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-cont racts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add f or Attendance".  DIRECT CONTRACTS  Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.  ATTENDANCE UPON OTHER TRADESMEN, ETC.  The Contractor shall allow for the attendance of trade up on trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and a lso for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding. The Contractor shall perform such cutting away for and making good after the work of

ITEM	DESCRIPTION	KSHS
A.	INSURANCE	
	The Contractor shall insure as required in Conditions N os. 22 and 23 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAG ER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
В.	PROVISIONAL WORK	
	All work described as "Provisional" in these Bills of Qua ntities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adju stment under this Contract shall left uncovered for a reasonable time to allow all measur ements needed for such adjustment to be taken by the PROJECT MANAGER  Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
C.	ALTERATIONS TO BILLS, PRICING, ETC.	
	Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored.  The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities.  All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
D.	BLASTING OPERATIONS	
	Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
	Carried to collection	

ITEM	DESCRIPTION	KSHS
A.	MATERIALS ARISING FROM EXCAVATIONS	
	Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allo wance for the value of the materials so used at a price to be agreed.	
В.	PROTECTION OF THE WORKS.	
	Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
В.	REMOVAL OF RUBBISH ETC.	
	Removal of rubbish and debris from the Buildings and s ite as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	
C.	WORKS TO BE DELIVERED UP CLEAN	
	Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
D.	FIRM PRICE CONTRACT	
	Unless otherwise specifically stated in the Particular Pre liminaries this is a firm price Contract.	
	Carried to collection	

A. GENERAL SPECIFICATION.  For the full description of materials and workmanship, method of execution of the work and notes for pricing; the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unloss it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.  B. TRAININGLEYY  The Contractor's altention is drawn to legal notice No. 2 37 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000,00 in value.  C. MATERIALS ON SITE  All materials for incorporation in the works must be sto red on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive no behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.	ITEM	DESCRIPTION	KSHS
work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.  B. TRAINING LEVY  The Contractor's attention is drawn to legal notice No. 2 37 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.  C. MATERIALS ON SITE  All materials for incorporation in the works must be sto red on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole experience in the kind of work involved and shall give his whole experience in the kind of work involved and shall give his whole experience of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cort tractor in accordance with the Conditions of Contract.	A.	GENERAL SPECIFICATION.	
The Contractor's attention is drawn to legal notice No. 2 37 of October, 1971, which requires payment by the Contracts of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.  C. MATERIALS ON SITE  All materials for incorporation in the works must be sto red on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole experience in the kind of work involved and shall give his whole experience in the kind of work involved and shall give his whole stream to the superintendence of the works. Such Agent or Representative, competent and experienced in the Kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.		work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in	
requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.  C. MATERIALS ON SITE  All materials for incorporation in the works must be sto red on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.	В.	TRAININGLEVY	
All materials for incorporation in the works must be sto red on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 × 50 mm timber posts firmly secured at 1800 mm centres with two 75 × 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.		requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the	
before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.  D. HOARDING  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 × 50 mm timber posts firmly secured at 1800 mm centres with two 75 × 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.	C.	MATERIALS ON SITE	
The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and s hall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.		before payment is effected unless specifically exempted by the PROJECT MANAGER.  This includes the materials of the Main Contractor, Nominated Sub-Contractors and	
hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.  E. CONTRACTOR'S SUPERINTENDENCE/SITE AGENT  The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and s hall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.	D.	HOARDING	
The Contractor shall constantly keep on the works a lite rate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and s hall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.		hoarding 2400 mm high consisting of iron sheets on $100 \times 50$ mm timber posts firmly secured at $1800$ mm centres with two $75 \times 50$ mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works,	
Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and s hall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the Conditions of Contract.	E.	CONTRACTOR'S SUPERINTENDENCE/SITE AGENT	
Carried to Collection		Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and s hall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the P roject Manager and such directions shall be deemed to have been given to the Cor tractor in accordance with the	
		Carried to Collection	

TEM	DESCRIPTION	KSHS
	COLLECTION	
	<b>Brought Forward From Page GP/ 1</b>	
	<b>Brought Forward From Page GP/ 2</b>	
	Brought Forward From Page GP/ 3	
	Brought Forward From Page GP/ 4	
	<b>Brought Forward From Page GP/ 5</b>	
	Brought Forward From Page GP/ 6	
	Brought Forward From Page GP/ 7	
	Brought Forward From Page GP/ 8	
	Brought Forward From Page GP/ 9	
	Brought Forward From Page GP/ 10	
	Brought Forward From Page GP/ 11	
	Brought Forward From Page GP/ 12	
тот	'AL FOR GENERAL PRELIMINARIES	